

Product data sheet

Specifications



cable for power supply - 15m - 1 female connector

VW3L30001R150

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

| | |
|---------------------------------------|--|
| Range of Product | Lexium integrated drive |
| Product or Component Type | Cable for connection of power supply |
| Accessory / Separate Part Type | Cable |
| Accessory / separate part category | Connection accessories |
| Accessory / separate part destination | For drives with industrial connectors for power supply |
| Cable length | 49.2 ft (15 m) |

Complementary

| | |
|-----------------------|----------------------------|
| Electrical connection | 1 female connector, 2 pins |
| Net Weight | 1.898 lb(US) (0.861 kg) |

Environment

| | |
|-----------|--------|
| Standards | DESINA |
|-----------|--------|

Ordering and shipping details

| | |
|-------------------|---------------|
| Category | US1PC5618289 |
| Discount Schedule | PC56 |
| GTIN | 3389118367609 |
| Returnability | No |
| Country of origin | CZ |

Packing Units

| | |
|------------------------------|-----------------|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |
| Package 1 Height | 2.0 in (5 cm) |
| Package 1 Width | 9.4 in (24 cm) |
| Package 1 Length | 9.4 in (24 cm) |
| Package weight(Lbs) | 30.4 oz (861 g) |
| Unit Type of Package 2 | S04 |
| Number of Units in Package 2 | 10 |
| Package 2 Height | 11.8 in (30 cm) |
| Package 2 Width | 15.7 in (40 cm) |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|-------------------------|-----------------|
| Package 2 Length | 23.6 in (60 cm) |
|-------------------------|-----------------|

| | |
|-------------------------|--------------------------|
| Package 2 Weight | 21.742 lb(US) (9.862 kg) |
|-------------------------|--------------------------|

Contractual warranty

| | |
|-----------------------------|----|
| Warranty (in months) | 18 |
|-----------------------------|----|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

| | |
|--|---|
| Total lifecycle Carbon footprint | 469 kg CO2 eq. |
| Environmental Disclosure | Product Environmental Profile |
| Carbon footprint of the manufacturing phase [A1 to A3] | 5 kg CO2 eq. |
| Carbon footprint of the distribution phase [A4] | 0.1 kg CO2 eq. |
| Carbon footprint of the installation phase [A5] | 0 kg CO2 eq. |
| Carbon footprint of the use phase [B2, B3, B4, B6] | 464 kg CO2 eq. |
| Carbon footprint of the end-of-life phase [C1 to C4] | 0.8 kg CO2 eq. |

Use Better



Materials and Substances

| | |
|--|---|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | No |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
| REACH Regulation | REACH Declaration |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |
| PVC free | Yes |

Use Longer



Lifetime extension

| | |
|--------|----|
| Repair | No |
|--------|----|

Use Again



Repack and remanufacture

| | |
|---------------------|---|
| Circularity Profile | End of Life Information |
| Take-back | No |