

# Product data sheet

Specifications



## Coil WB1-H 150V/175V AC 50/60Hz for CV1B, CV3B Contactor

WB1HA160

⚠ Discontinued on: Jul 12, 2021

⚠ Discontinued

**Important message:** This product is no longer commercialized by Schneider Electric. As per 14 January 2022, the commercialization is managed by Lenoir Elec. Please follow the link <https://www.lenoir-elec.com/> for more details.

### Main

|                              |  |
|------------------------------|--|
| Range                        | TeSys  |
| Product or Component Type    | Contacteur coil  |
| Range compatibility          | TeSys TeSys B CV1BH contactor<br>TeSys TeSys B CV3BH contactor |
| Control circuit type         | AC   |
| Coil type                    | Low consumption  |
| [Uc] control circuit voltage | 150 V AC 50 Hz<br>175 V AC 60 Hz                               |

### Complementary

|                                |  |
|--------------------------------|--|
| Control circuit voltage limits | Operational: 0.85...1.1 Uc at 50 Hz (at <131 °F (55 °C))<br>Operational: 0.85...1.1 Uc at 60 Hz (at <131 °F (55 °C)) |
| Average resistance             | 10.24 Ohm 68 °F (20 °C)  |
| Inrush power in VA             | 180...340 VA 50 Hz 68 °F (20 °C))  |
| Inrush power in W              | 150...280 W 68 °F (20 °C)  |
| Net Weight                     | 0.62 lb(US) (0.28 kg)  |

### Ordering and shipping details

|                   |   |
|-------------------|---|
| Category          | 18402-WORLD SERVICE PARTS(CONTROL ACCESS) |
| Discount Schedule | CP10                                      |
| GTIN              | 3389110458688                             |
| Returnability     | No  |

### Packing Units

|                        |                  |
|------------------------|------------------|
| Unit Type of Package 1 | PCE              |
| Nbr. of units in pkg.  | 1                |
| Package 1 Height       | 1.8 in (4.5 cm)  |
| Package 1 Width        | 2.4 in (6 cm)    |
| Package 1 Length       | 4.3 in (10.8 cm) |
| Package weight(Lbs)    | 9.8 oz (278 g)   |

### Contractual warranty

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.





## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better



#### Materials and Substances

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

### Use Longer



#### Lifetime extension

Repair

No