

Product data sheet

Specifications



Wear part, enclosure door, fan for variable speed drive, Altivar Process 600 900, from 37 to 90kW, from 40 to 100hp

VX5VPS5002

Main

Range compatibility	Altivar Process 600/900
Accessory / separate part type	Fan kit
Accessory / separate part category	Cooling accessory
Product or component type	Fan

Complementary

Kit composition	Fan Mounting bracket Instruction sheet
Product compatibility	Variable speed drive ATV630 wall mount 37 kW 500...690 V Variable speed drive ATV630 wall mount 45 kW 500...690 V Variable speed drive ATV630 wall mount 55 kW 500...690 V Variable speed drive ATV630 wall mount 75 kW 500...690 V Variable speed drive ATV630 wall mount 90 kW 500...690 V Variable speed drive ATV930 wall mount 37 kW 500...690 V Variable speed drive ATV930 wall mount 45 kW 500...690 V Variable speed drive ATV930 wall mount 55 kW 500...690 V Variable speed drive ATV930 wall mount 75 kW 500...690 V Variable speed drive ATV930 wall mount 90 kW 500...690 V Variable speed drive ATV630 wall mount 40 hp 600 V Variable speed drive ATV630 wall mount 50 hp 600 V Variable speed drive ATV630 wall mount 60 hp 600 V Variable speed drive ATV630 wall mount 75 hp 600 V Variable speed drive ATV630 wall mount 100 hp 600 V Variable speed drive ATV930 wall mount 40 hp 600 V Variable speed drive ATV930 wall mount 50 hp 600 V Variable speed drive ATV930 wall mount 60 hp 600 V Variable speed drive ATV930 wall mount 75 hp 600 V Variable speed drive ATV930 wall mount 100 hp 600 V

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	12.000 cm
Package 1 Width	30.000 cm
Package 1 Length	40.000 cm
Package 1 Weight	900.000 g
Unit Type of Package 2	P06
Number of Units in Package 2	10
Package 2 Height	74.000 cm
Package 2 Width	60.000 cm
Package 2 Length	80.000 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Weight	19.000 kg
------------------	-----------



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No