

Product data sheet

Specifications

Extruded aluminum DIN rail, SE Relays, for 782/782H relays , 1 m



16-700DIN

Main

Product Range	Harmony Electromechanical Relays
Product Type	DIN rail

Complementary

Height	0.30 in (7.65 mm)
Width	1.4 in (35 mm)
Depth	0.3 in (7.5 mm)

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.4 in (3.5 cm)
Package 1 Width	39.4 in (100 cm)
Package 1 Length	0.37 in (0.94 cm)
Package 1 Weight	4.4 oz (125 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	20
Package 2 Height	1.9 in (4.8 cm)
Package 2 Width	4.3 in (10.9 cm)
Package 2 Length	40.08 in (101.8 cm)
Package 2 Weight	6.6 lb(US) (3 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	REACH Declaration

Use Longer


Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No

Dimensions Drawings

Dimensions



Technical Illustration

Dimensions

