

# Product data sheet

Specifications



Wear part, enclosure door, fan for variable speed drive, Altivar Process 600 900, from 37 to 90kW, from 40 to 100hp

VX5VPS5002

## Main

|                                    |                         |
|------------------------------------|-------------------------|
| Range compatibility                | Altivar Process 600/900 |
| Accessory / separate part type     | Fan kit                 |
| Accessory / separate part category | Cooling accessory       |
| Product or component type          | Fan                     |

## Complementary

|                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Kit composition       | Fan<br>Mounting bracket<br>Instruction sheet                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Product compatibility | Variable speed drive ATV630 wall mount 37 kW 500...690 V<br>Variable speed drive ATV630 wall mount 45 kW 500...690 V<br>Variable speed drive ATV630 wall mount 55 kW 500...690 V<br>Variable speed drive ATV630 wall mount 75 kW 500...690 V<br>Variable speed drive ATV630 wall mount 90 kW 500...690 V<br>Variable speed drive ATV930 wall mount 37 kW 500...690 V<br>Variable speed drive ATV930 wall mount 45 kW 500...690 V<br>Variable speed drive ATV930 wall mount 55 kW 500...690 V<br>Variable speed drive ATV930 wall mount 75 kW 500...690 V<br>Variable speed drive ATV930 wall mount 90 kW 500...690 V<br>Variable speed drive ATV630 wall mount 40 hp 600 V<br>Variable speed drive ATV630 wall mount 50 hp 600 V<br>Variable speed drive ATV630 wall mount 60 hp 600 V<br>Variable speed drive ATV630 wall mount 75 hp 600 V<br>Variable speed drive ATV630 wall mount 100 hp 600 V<br>Variable speed drive ATV930 wall mount 40 hp 600 V<br>Variable speed drive ATV930 wall mount 50 hp 600 V<br>Variable speed drive ATV930 wall mount 60 hp 600 V<br>Variable speed drive ATV930 wall mount 75 hp 600 V<br>Variable speed drive ATV930 wall mount 100 hp 600 V |

## Packing Units

|                              |                       |
|------------------------------|-----------------------|
| Unit Type of Package 1       | PCE                   |
| Number of Units in Package 1 | 1                     |
| Package 1 Height             | 4.724 in (12.000 cm)  |
| Package 1 Width              | 11.811 in (30.000 cm) |
| Package 1 Length             | 15.748 in (40.000 cm) |
| Package 1 Weight             | 31.746 oz (900.000 g) |
| Unit Type of Package 2       | P06                   |
| Number of Units in Package 2 | 10                    |
| Package 2 Height             | 29.134 in (74.000 cm) |
| Package 2 Width              | 23.622 in (60.000 cm) |
| Package 2 Length             | 31.496 in (80.000 cm) |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                  |                           |
|------------------|---------------------------|
| Package 2 Weight | 41.888 lb(US) (19.000 kg) |
|------------------|---------------------------|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

| Materials and Substances |                                                                                        |
|--------------------------|----------------------------------------------------------------------------------------|
| EU RoHS Directive        | <a href="#">Compliant By Exemption</a>                                                 |
| REACH Regulation         | <a href="#">Reference contains Substances of Very High Concern above the threshold</a> |

### Use Longer

| Lifetime extension |    |
|--------------------|----|
| Repair             | No |

### Use Again

| Repack and remanufacture |    |
|--------------------------|----|
| Take-back                | No |