

Product data sheet

Specifications



power cordset 4x1,5mm² + 2x1mm²
+ 2x0,14mm² 50 m one end w M23
industrial con.

VW3M5501R500

Product availability: Non-Stock - Not normally stocked in
distribution facility

Main

Range of Product	Altivar
Accessory / Separate Part Type	Power cable
Accessory / separate part category	Connection accessories
Accessory / separate part destination	Between synchronous motor and variable speed drive
Range Compatibility	Altivar 32 Altivar Machine ATV320
Cable length	164.04 ft (50 m)
Type of Cable	Shielded cable

Complementary

Product compatibility	Synchronous motor BMP 5.5 in (140 mm), 1 C Synchronous motor BMP 5.5 in (140 mm), 1 F Synchronous motor BMP 5.5 in (140 mm), 2 C Synchronous motor BMP 2.8 in (70 mm), 1 R Synchronous motor BMP 2.8 in (70 mm), 1 F Synchronous motor BMP 2.8 in (70 mm), 2 R Synchronous motor BMP 2.8 in (70 mm), 2 F Synchronous motor BMP 3.9 in (100 mm), 1 R Synchronous motor BMP 3.9 in (100 mm), 1 F Synchronous motor BMP 3.9 in (100 mm), 2 R Synchronous motor BMP 3.9 in (100 mm), 2 F
Electrical connection	1 connector M23 8 synchronous motor side 1 free end variable speed drive side
Cable composition	4 x 1.5 mm ² + 2 x 1 mm ² + 2 x 0.14 mm ²
Net Weight	26.01 lb(US) (11.8 kg)

Ordering and shipping details

Category	US1PC5118263
Discount Schedule	PC51
GTIN	3606480564574
Returnability	No

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	6.614 in (16.800 cm)
Package 1 Width	19.134 in (48.600 cm)
Package 1 Length	18.307 in (46.500 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package weight(Lbs)	28.537 lb(US) (12.944 kg)
Unit Type of Package 2	P06
Number of Units in Package 2	2
Package 2 Height	30.315 in (77.000 cm)
Package 2 Width	23.622 in (60.000 cm)
Package 2 Length	31.496 in (80.000 cm)
Package 2 Weight	70.813 lb(US) (32.120 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	254 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile
Carbon footprint of the manufacturing phase [A1 to A3]	57 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	2 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	181 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	13 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Circularity Profile	End of Life Information
Take-back	No