


Product datasheet

Specifications



chassis, ComPact NS630b to NS1250, MasterPact NT06 to NT12, drawout, 4 poles

33725

Price: 1,920,214.94 NGN

Main

Product or component type	Chassis
Accessory / separate part category	Mounting accessory
Range compatibility	Masterpact MasterPact NT MasterPact NT06 Masterpact MasterPact NT08 Masterpact MasterPact NT10 Masterpact MasterPact NT12 ComPact ComPact NS630b...1600
Circuit breaker name	Compact NS630bNA Compact NS630bN Compact NS630bH Compact NS800NA Compact NS800N Compact NS800H Compact NS1000NA Compact NS1000N Compact NS1000H Compact NS1250NA Compact NS1250N Compact NS1250H MasterPact NT06HA MasterPact NT06H1 MasterPact NT06H2 MasterPact NT08HA MasterPact NT08H1 MasterPact NT08H2 MasterPact NT10HA MasterPact NT10H1 MasterPact NT10H2 MasterPact NT12HA MasterPact NT12H1 MasterPact NT12H2
Poles description	4P
performance level	H2 N HA H NA H1

Complementary

Mounting mode	Drawout
[In] rated current	1250 A

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.300 cm
Package 1 Width	4.000 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Length	2.000 cm
Package 1 Weight	22.900 kg

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	1 004 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	232 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	5 kg CO2 eq.
Carbon footprint of the installation phase [A5]	18 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	697 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	52 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No, we have minimized the use of plastic in the packaging in compliance with regulations and considering quality and safety standards
SCIP Number	0d2b79c1-bad6-48e6-81e2-781421341d7d
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
Halogen-free status	Product contains halogen above thresholds
Silicone-free	No

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	70
End of life manual availability	End of Life Information
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins