

Product data sheet

Specifications



Direct rotary handle, TeSys GV5, black, IP40

GV5AP03

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	TeSys
Product or Component Type	Rotary handle
Device short name	GV5AP
Range compatibility	TeSys TeSys GV5 motor circuit breaker
Accessory / separate part category	Control accessory
Handle colour	Black
Handle front plate colour	Black
Rotary handle mounting location	Front
Rotary handle mounting style	Direct

Complementary

Rotary handle padlocking	1 to 3 padlocks 0.2...0.3 in (5...8 mm) Padlock in OFF position
Net Weight	0.49 lb(US) (0.22 kg)

Environment

IP Degree of Protection	IP40
IK Degree of Protection	IK07

Ordering and shipping details

Category	US10I1122366
Discount Schedule	0I11
GTIN	3606489902117
Returnability	No
Country of origin	IN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.780 in (9.600 cm)
Package 1 Width	3.780 in (9.600 cm)
Package 1 Length	4.331 in (11.000 cm)
Package weight(Lbs)	9.242 oz (262.000 g)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 2	S04
Number of Units in Package 2	40
Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	15.748 in (40.000 cm)
Package 2 Length	23.622 in (60.000 cm)
Package 2 Weight	24.648 lb(US) (11.180 kg)
Unit Type of Package 3	P12
Number of Units in Package 3	480
Package 3 Height	31.496 in (80.000 cm)
Package 3 Width	31.496 in (80.000 cm)
Package 3 Length	47.244 in (120.000 cm)
Package 3 Weight	308.118 lb(US) (139.760 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	2 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile
Carbon footprint of the manufacturing phase [A1 to A3]	1 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.1 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.5 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	A996aaa1-a70f-4d6b-a770-cfa3eae2e33b
REACH Regulation	REACH Declaration
Halogen content performance	Product contains halogen above thresholds

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	65
Circularity Profile	End of Life Information
Take-back	No