

Product datasheet

Specifications



joystick controller XKDF - medium hoisting with adaptation/potentiometer

XKDF18252252

⚠ Discontinued on: 12 May 2023

⚠ Discontinued

Price: 45.374.000,00 IDR

Main

Range of product	Harmony XK
Product or component type	Complete joystick controller
Product specific application	Medium hoisting applications
Device short name	XKDF
Sale per indivisible quantity	1

Complementary

Bezel material	Metal
Fixing collar material	Metal
Protective treatment	TC
Type of operator	Handle spring return
Operator position information	All positions
Operator profile	Projecting, 1 NC + 1 NO
Adaptation for potentiometer	With adaptation and potentiometer
Positive opening	Slow break, double-break contactswith positive opening operation
Connections - terminals	Captive screw clamp terminals, <= 2 x 1.5 mm ² with cable end Captive screw clamp terminals, <= 1 x 2.5 mm ² without cable end Captive screw clamp terminals, >= 1 x 0.5 mm ²
Short-circuit protection	10 A cartridge fuse conforming to EN/IEC 60947-5-1
[Ith] conventional free air thermal current	10 A conforming to EN/IEC 60947-5-1 10 A conforming to CSA C22.2 No 14
[Ui] rated insulation voltage	500 V (pollution degree 3) conforming to IEC 60947-1

Environment

Ambient air temperature for storage	-40...70 °C
Ambient air temperature for operation	-20...70 °C
Overvoltage category	Class I conforming to IEC 61140
IP degree of protection	IP54 conforming to IEC 60529
Standards	EN/IEC 60947-5-1 CSA C22.2 No 14
Product certifications	CSA CCC EAC

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Mechanical durability	3000000 cycles
Vibration resistance	2 gn (f= 10...500 Hz) conforming to IEC 60068-2-6
Shock resistance	15 gn (duration = 11 ms) conforming to IEC 60068-2-27

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	22.0 cm
Package 1 Width	22.0 cm
Package 1 Length	40.0 cm
Package 1 Weight	1.3 kg



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Longer

Lifetime extension	
Repair	No