

# Product datasheet

Specifications



## Mains supply reactance - 540A 400/500 Vac

VW3A68507

⚠ End-of-service on: Nov 24, 2021 AD

⚠ Discontinued

### Main

Range of product	Altivar
Product or component type	Line choke
number of phases	3 phases
Range compatibility	Altivar 68
Device application	Reduction of current harmonics
Value of inductance	0.038 mH
[In] rated current	540 A
Saturation current	1025 A
Thermal losses	280 W
Electrical connection	Terminal 6 mm <sup>2</sup> / AWG 8, 0.8...1 N.m

### Complementary

power supply frequency	50...60 Hz
Max current	1.65 x nominal current (duration = 60 s)
Maximum voltage drop at rated load	5 %
Electrical insulation class	Class F
Minimum clearance distance	5.5 mm IEC 60664
Leakage distance	11.5 mm conforming to IEC 60664
Width	320 mm
Height	380 mm
Depth	250 mm

### Environment

Standards	VDE 0160 level 1 IEC 60076 (with HD398) EN 50178
IP degree of protection	Choke: IP00 Terminals: IP20
Environmental characteristic	3B1 conforming to IEC 721-3-3 3C2 conforming to IEC 721-3-3 3S1 conforming to IEC 721-3-3
Pollution degree	2 conforming to EN 50178
Vibration resistance	1 gn (f= 13...200 Hz) conforming to IEC 60068-2-6 1.5 mm peak to peak (f= 3...13 Hz) conforming to IEC 60068-2-6

---

<b>Shock resistance</b>	15 gn for 11 ms conforming to IEC 60068-2-27
<b>Relative humidity</b>	0...95 %
<b>Ambient air temperature for operation</b>	45...55 °C (with current derating of 2 % per °C) 0...45 °C (without current derating)
<b>Ambient air temperature for storage</b>	-25...70 °C
<b>Operating altitude</b>	<= 1000 m without current derating 1000...3000 m with current derating 1 % per 100 m

---

## Contractual warranty

---

<b>Warranty (in months)</b>	18
-----------------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Longer



#### Lifetime extension

Repair

No