

Product datasheet

Specifications



3 cables connector, ComPact NS400/630, 35 to 300mm², 2 phase separators

32479

 **Discontinued on:** Jun 30, 2023 AD

 **Discontinued**

Main

Device short name	bare cable connectors
Product or component type	Terminal
Accessory / separate part category	Connection accessory
Range compatibility	ComPact ComPacT INS ComPact Compact INV ComPact Compact NR ComPact ComPact NS ComPact Compact INSJ ComPact Compact NB
Quantity per set	Set of 3

Complementary

[In] rated current	0...630 A
--------------------	-----------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.8 cm
Package 1 Width	9.8 cm
Package 1 Length	12.5 cm
Package 1 Weight	360 g
Unit Type of Package 2	S03
Number of Units in Package 2	30
Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	11.3 kg
Unit Type of Package 3	P12
Number of Units in Package 3	240
Package 3 Height	50 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	102.296 kg

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins