

Product datasheet

Specifications



Current transformer - class 1 - 600/5A - 10VA - for Fupact ISFL 250..630

LV480888

⚠ Discontinued on: 9 Feb 2023

⚠ Discontinued

EAN Code: 3606480341465

Main

| | |
|---------------------------|--|
| Range of product | ISFL1250 ISFL250...630 |
| Range | FuPacT |
| Product or component type | Current transformer |
| Device application | Power supply |
| Range compatibility | FuPacT FuPacT ISFL ISFL250 fuse-switch disconnecter FuPacT FuPacT ISFL ISFL400 FuPacT FuPacT ISFL ISFL630 FuPacT FuPacT ISFL ISFL1250 |
| Current transformer ratio | 600/5 A |
| Power consumption in VA | 5 VA |

Complementary

| | |
|---------------------------------------|------------------------------------|
| Accessory / separate part category | Measurement accessory |
| Current transformer type | Measurement class 1 |
| Maximum safety factor | 5 |
| [Ue] rated operational voltage | 800 V AC 50/60 Hz |
| IP degree of protection | IP20 |
| Standards | IEC 60044-1 VDE 0414 BS 7626 |
| Ambient air temperature for operation | -25...70 °C |
| Ambient air temperature for storage | -40...80 °C |
| Height | 78 mm |
| Width | 60 mm |
| Depth | 30 mm |

Packing Units

| | |
|------------------------------|--------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 6.0 cm |
| Package 1 Width | 5.0 cm |
| Package 1 Length | 8.0 cm |

| | |
|-------------------------------------|----------|
| Package 1 Weight | 180.0 g |
| Unit Type of Package 2 | S02 |
| Number of Units in Package 2 | 40 |
| Package 2 Height | 15.0 cm |
| Package 2 Width | 30.0 cm |
| Package 2 Length | 40.0 cm |
| Package 2 Weight | 7.655 kg |

Contractual warranty

| | |
|-----------------------------|----|
| Warranty (in months) | 18 |
|-----------------------------|----|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

| | |
|--|---|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | No |
| EU RoHS Directive | Compliant |
| REACH Regulation | Free of Substances of Very High Concern above the threshold |

Use Longer




Lifetime extension

| | |
|--------|----|
| Repair | No |
|--------|----|

Use Again



Repack and remanufacture

| | |
|------------|---|
| Take-back | Nej |
| WEEE Label |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |