

Product datasheet

Specifications



CONNECTION HZ.NS-INV250

04443

⚠ Discontinued on: 15 Apr 2022

⚠ Discontinued

Main

Range	Prisma
Range of product	Prisma G Prisma P
Product or component type	Flexible connection assembly
product name	Prisma Prisma G enclosure Prisma Prisma P enclosure
Accessory / separate part category	Connection accessory

Complementary

Poles description	4P
installation description	Cubicle Floor-standing enclosure Wall-mounted enclosure
Installed device	ComPact: NSX250 without earth leakage protection horizontal installation ComPact: INV100...250 without earth leakage protection vertical installation
Busbar cross section	24 x 5 mm
Height	105 mm
Width	105 mm
Depth	30 mm
Net weight	2.7 kg
Quantity per set	Set of 1

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.0 cm
Package 1 Width	36.5 cm
Package 1 Length	36.5 cm
Package 1 Weight	2.71 kg
Unit Type of Package 2	P12
Number of Units in Package 2	36
Package 2 Height	45.0 cm
Package 2 Width	80.0 cm

Package 2 Length	120.0 cm
------------------	----------

Package 2 Weight	109.56 kg
------------------	-----------

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

EU RoHS Directive	Compliant
Halogen-free status	Halogen free plastic parts product
PVC free	Yes
Silicone-free	Yes

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Take-back	No
-----------	----