

Product datasheet

Specifications



keylock Profalux KS5 B24 D4Z, set
of 1 part, keylock adapter not
included

42888

Main

Product or component type	Keylock
Accessory / separate part category	Keylock accessory
Range compatibility	ComPact ComPacT INS ComPact Compact INV EasyPact EasyPact CVS ComPact ComPact NSX ComPact ComPact NSX DC
Quantity per set	Set of 1

Complementary

Type of keylock	Cylindrical
Key number	KS5 B24 D4Z
Number of key	2
Accessory / separate part category	Spare parts

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.000 cm
Package 1 Width	12.000 cm
Package 1 Length	12.500 cm
Package 1 Weight	76.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	50
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	4.200 kg

Operations and descriptions

Operation	1200
Duration of operation	3.5 min
Operation Description	Assembly and test

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
Halogen-free status	Product contains halogen above thresholds

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	Nej