

Product data sheet

Specifications



Plug outlet, Linergy HK, 2P, 16A, 1 point, 2.5mm², cable length 200

AK5PC12PH

⚠ Discontinued

Main

Range	Linergy
Product name	HK
Product or Component Type	Plug outlet
Poles description	2P
[I _{th}] conventional free air thermal current	16 A
I ² t on activation	100000 A².s
Number of points	1
Number of cables	2 0.004 in² (2.5 mm²)
Cable length	0.7 ft (0.2 m)
Quantity per Set	Set of 6

Complementary

[U _i] rated insulation voltage	600 V CSA 600 V UL 690 V IEC 60439-1
Peak current	25 kA
Width	0.7 in (18 mm)
Height	1.8 in (46 mm)
Depth	1.5 in (38 mm)
Net Weight	0.077 lb(US) (0.035 kg)

Environment

Standards	IEC 60439
Product Certifications	DNV UL LROS (Lloyds register of shipping) CSA

Ordering and shipping details

Category	22623-PANEL BUS (AK5)
Discount Schedule	I11
GTIN	3389110576986
Returnability	No

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Country of origin	FR
-------------------	----

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	4.724 in (12.000 cm)
Package 1 Width	7.087 in (18.000 cm)
Package 1 Length	1.248 in (3.170 cm)
Package weight(Lbs)	1.270 oz (36.000 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	6
Package 2 Height	4.724 in (12.000 cm)
Package 2 Width	7.087 in (18.000 cm)
Package 2 Length	3.740 in (9.500 cm)
Package 2 Weight	7.654 oz (217.000 g)
Unit Type of Package 3	S04
Number of Units in Package 3	96
Package 3 Height	11.811 in (30.000 cm)
Package 3 Width	15.748 in (40.000 cm)
Package 3 Length	23.622 in (60.000 cm)
Package 3 Weight	11.028 lb(US) (5.002 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
REACH Regulation	REACH Declaration
Halogen content performance	Halogen free plastic parts product
PVC free	Yes
Silicon free	Yes

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.