

Product datasheet

Specifications



interlocking for devices with direct/
extended rotary handle, 100 to 250
A

31073

Main

Range of product	INS250 INV100...250
Range	ComPact
Product or component type	Interlock
Accessory / separate part category	Interlocking accessory
Range compatibility	ComPact ComPacT INS switch disconnecter ComPact Compact INV switch disconnecter
Poles description	3P 4P

Complementary

Source-changeover interlock	Manual
Interlocked device	INS250-100...250 INV100...250
Control type	Direct rotary handle Extended rotary handle
Mounting mode	Fixed
Product compatibility	Compact INS250 Compact INV100...250

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.0 cm
Package 1 Width	18.4 cm
Package 1 Length	34.1 cm
Package 1 Weight	620.0 g
Unit Type of Package 2	S03
Number of Units in Package 2	10
Package 2 Height	30.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	6.687 kg

Contractual warranty

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No, we have minimized the use of plastic in the packaging in compliance with regulations and considering quality and safety standards
SCIP Number	F174c3be-799f-4aed-b706-e836dad8c18d
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
Halogen-free status	Halogen free plastic parts product

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

End of life manual availability	End of Life Information
Take-back	Nej