

Product datasheet

Specifications



Mounting plate, Linergy BZ, 32A, 3P, 45x 200mm, 1 way, for LUB12, LUB32 Ultra Motor Starter, Grey

LA9ZA32427

Main

Range	Linergy
Product name	BZ
Device short name	LA9Z
Product or component type	Mounting plate
Number of ways	1 way
Quantity per set	Set of 4

Complementary

Range compatibility	PrismaSeT G PrismaSeT P PrismaSeT PH PrismaSeT Pack TeSys U PanelSeT
Product compatibility	LUB12 LUB32
Poles description	3P
Permissible current	32 A
[Ui] rated insulation voltage	690 V
Cable cross section	6 mm² - AWG 10
Busbar pitch	60 mm
Width	45 mm
Height	200 mm
Depth	63 mm
Colour	Grey

Environment

IP degree of protection	IP20 conforming to IEC 60529
-------------------------	------------------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.500 cm
Package 1 Width	15.000 cm
Package 1 Length	19.500 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Weight	260.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	4
Package 2 Height	12.500 cm
Package 2 Width	18.000 cm
Package 2 Length	22.000 cm
Package 2 Weight	1.142 kg
Unit Type of Package 3	S03
Number of Units in Package 3	16
Package 3 Height	30.000 cm
Package 3 Width	30.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	5.070 kg

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Packaging	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
Halogen-free status	Halogen free plastic parts product
PVC free	Yes
Silicone-free	Yes

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins