

ETU VT1600 3-pole, motor/transformer protection ETU MP, LI IR=630...1600A, overload protection I_{RM}=2...20kA, short-circuit protection, screw terminal connections in scope of delivery of switching unit



Model				
product brand name		SENTRON		
product designation		Electronic Trip Units (ETU)		
design of the product		ETU MP, LI IR= 630 to 1600 A		
Accessories				
accessories		Accessory for VT1600		
Mechanical Design				
Net Weight		534 g		
Approvals Certificates				
Environment	General Product Approval		Test Certificates	other
Environmental Conformations		Confirmation		Confirmation
			Type Test Certificates/Test Report	
other				
	Miscellaneous			

Further information
Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,...) https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VT9516-6AP00
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/3VT9516-6AP00
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VT9516-6AP00
CAX-Online-Generator https://www.siemens.com/cax
Tender specifications https://www.siemens.com/specifications
Characteristic curves <a href='https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>'>https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>

