

Product datasheet

Specifications



blown fuse indicator 4P(only for DIN type)- 4NO or NC- for Fupact INF200 to 800

LV480559

⚠ Discontinued on: 1 Dec 2021

⚠ End-of-service on: 23 Feb 2021

⚠ Discontinued

Main

Range of product	INF200...800
Range	FuPact
Device short name	blown fuse indicator
Product or component type	Blown Fuse Indicator
Device application	Display
Range compatibility	FuPact Fupact INF fuse-switch disconnecter
Poles description	4P
Signal contacts composition	4 NC 4 NO

Complementary

[Ith] conventional free air thermal current	16 A
[Ie] rated operational current	DC-12: 0.55 A at 250 V DC DC-12: 0.1 A at 380/415 V DC DC-12: 0.1 A at 440 V DC DC-12: 0.55 A at 220/240 V DC AC-15: 2 A at 660/690 V AC AC-15: 4 A at 380/415 V AC AC-15: 6 A at 110 V AC AC-15: 6 A at 220/240 V AC AC-15: 6 A at 24 V AC AC-15: 6 A at 250 V AC AC-15: 6 A at 48 V AC DC-12: 10 A at 24 V DC DC-12: 2 A at 110 V DC DC-12: 4 A at 48 V DC DC-13: 0.27 A at 250 V DC DC-13: 0.55 A at 110 V DC DC-13: 0.8 A at 48 V DC DC-13: 2 A at 24 V DC
Minimum load	10 mA at 24 V

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.6 cm
Package 1 Width	11.4 cm
Package 1 Length	44.9 cm
Package 1 Weight	203 g

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

EU RoHS Directive

[Compliant](#)

PVC free

Yes

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins