

# Product datasheet

Specifications



## Output shorting link, GoPact MTS 2000, 1600A

GMSCONOSL0616H

**Price: 6,418.02 ZAR**

### Main

|                           |                 |
|---------------------------|-----------------|
| Range of product          | GoPact MTS      |
| Product or component type | Shorting link   |
| Device application        | Connection      |
| Range compatibility       | GoPact MTS 2000 |
| [In] rated current        | 1600 A          |
| Frame size                | 6               |
| Quantity per set          | 4 pieces        |

### Complementary

|                         |                   |
|-------------------------|-------------------|
| Connections - terminals | Bolted connection |
|-------------------------|-------------------|

### Packing Units

|                              |          |
|------------------------------|----------|
| Unit Type of Package 1       | PCE      |
| Number of Units in Package 1 | 1        |
| Package 1 Height             | 18.5 cm  |
| Package 1 Width              | 14.1 cm  |
| Package 1 Length             | 18.7 cm  |
| Package 1 Weight             | 3.984 kg |

### Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better



#### Materials and Substances

|  |                                    |
|--|------------------------------------|
| Packaging made with recycled cardboard | Yes                                |
| Packaging without single use plastic   | No                                 |
| <a href="#">EU RoHS Directive</a>      | Compliant                          |
| REACH Regulation                       | <a href="#">REACH Declaration</a>  |
| Halogen-free status                    | Halogen free plastic parts product |
| PVC free                               | Yes                                |
| Silicone-free                          | Yes                                |

### Use Longer



#### Lifetime extension

|        |    |
|--------|----|
| Repair | No |
|--------|----|

### Use Again



#### Repack and remanufacture

|           |    |
|-----------|----|
| Take-back | No |
|-----------|----|

Technical Illustration

Assembly's dimensions

---

