

# Product datasheet

Specifications



## ammeter module, ComPact NSX160/250, 160 A rating, 4 poles

LV430556

⚠ Discontinued on: 12 May 2023

⚠ Discontinued

### Main

Device short name	ammeter module
Product or component type	Ammeter
Device application	Metering
Range compatibility	ComPact ComPact NSX160 ComPact ComPact NSX250 ComPact INS250 ComPact Compact INV100...250
Poles description	4P
[In] rated current	160 A
Accuracy class	Class 4.5

### Complementary

Measurement accuracy	Ammeter: +/- 6 %
----------------------	------------------

### Environment

Electrical shock protection class	Class II
IP degree of protection	IP40 conforming to IEC 60529
IK degree of protection	IK04 conforming to IEC 62262

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	14.5 cm
Package 1 Width	15.5 cm
Package 1 Length	18 cm
Package 1 Weight	1.34 kg

### Contractual warranty

Warranty (in months)	18
----------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better



#### Materials and Substances

EU RoHS Directive

[Compliant](#)

### Use Longer



#### Lifetime extension

Repair

No

### Use Again



#### Repack and remanufacture

End of life manual availability

[End of Life Information](#)

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins