

Product datasheet

Specifications



Fuse disconnecter, TeSys DF, 50A, tubular links for GK1

DK1EB92

⚠ Discontinued on: 13 Mar 2024

⚠ Discontinued

Main

Range of product	TeSys fuse-disconnector
Device short name	DK1C
Product or component type	Tubular link
Accessory / separate part category	Connection accessory
Product compatibility	GK1 50 A
Quantity per set	Set of 10

Complementary

Fuse type	Cylindrical
Fuse size	14 x 51 mm
[Ie] rated operational current	50 A at 690 V AC
Product weight	0.012 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.5 cm
Package 1 Width	7.5 cm
Package 1 Length	10.5 cm
Package 1 Weight	10.0 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	1.5 cm
Package 2 Width	7.5 cm
Package 2 Length	10.5 cm
Package 2 Weight	103.0 g
Unit Type of Package 3	S01
Number of Units in Package 3	140
Package 3 Height	15.0 cm
Package 3 Width	15.0 cm
Package 3 Length	40.0 cm

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Weight	1.617 kg
------------------	----------

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins