

! If you have questions regarding login with Siemens ID, please check the [FAQ](#).

SiePortal

The integrated platform for your informatio workflow – bringing together Industry Mall

SiePortal | Region and language | Contact | Help | Support Request

Search for products

> Home > Catalogue > ... > ... > Pressure transmitters > Single-range transmitters > SITRANS P220 > 7MF1567-3DA00-1AA1

Products & Services Support

7MF1567-3DA00-1AA1



Image similar

SITRANS P220 Transmitters for pressure and absolute pressure fully welded version for high-pressure and refrigerant applications Non-linearity: 0.25 Percent (typically) wetted parts material: stainless steel; non-wetted parts material: stainless steel Measuring range for gauge: 0 to 100 bar, Overload- pressure 250 bar Output signal: 4 to 20 mA two-wire connection, power supply DC 7 to 33 V without explosion protection Electrical connection: plug to DIN EN 175301-803-A, thread for packed gland M16 (with connector) Process connection: G1/2" male to EN 837-1 (1/2" BSP male) (standard for metric pressure ranges mbar, bar) Standard version

| | |
|--|--|
| List Price | Show prices |
| Customer Price | Show prices |
| Additional Services | For this product we can offer Services like Spare Part Delivery/Repair/Exchange. You have currently no rights to enter the Service Web Shop for that. For further information & to order this service, please contact your local Spares&Repair Partner |
| | For this product we can offer extended warranty contracts EEO (material exchange for a single product) OEM RSC (Repair Service Contract for a whole machine) For further information & to order these services, please contact your local Siemens Service Partner |
| Service & Support (Manuals, Certificates, FAQs...) | Download |

Product

| | |
|---------------------------------------|--|
| Article Number (Market Facing Number) | 7MF1567-3DA00-1AA1 |
| Product Description | SITRANS P220 Transmitters for pressure and absolute pressure fully welded version for high-pressure and refrigerant applications Non-linearity: 0.25 Percent (typically) wetted parts material: stainless steel; non-wetted parts material: stainless steel Measuring range for gauge: 0 to 100 bar, Overload- pressure 250 bar Output signal: 4 to 20 mA two-wire connection, power supply DC 7 to 33 V without explosion protection Electrical connection: plug to DIN EN 175301-803-A, thread for packed gland M16 (with connector) Process connection: G1/2" male to EN 837-1 (1/2" BSP male) (standard for metric pressure ranges mbar, bar) Standard version |
| Product family | SITRANS P220 |
| Product Lifecycle (PLM) | PM300:Active Product |

Price data

| | |
|---------------------------------------|-------------|
| Price Group / Headquarter Price Group | 8P4 |
| List Price | Show prices |
| Customer Price | Show prices |
| Metal Factor | None |

Delivery information

| | |
|--|------------------------|
| Export Control Regulations | ECCN : N / AL : N |
| Estimated dispatch time (Working Days) | 1 Day/Days |
| Net Weight (kg) | 0.200 Kg |
| Packaging Dimension | 90.00 x 149.00 x 42.00 |
| Package size unit of measure | MM |
| Quantity Unit | 1 Piece |
| Packaging Quantity | 1 |

Additional Product Information

| | |
|--|---|
| EAN | 4047623602835 |
| UPC | Not available |
| Commodity Code | 90262020 |
| LKZ_FDB/ CatalogID | F101-1 |
| Product Group | 4778 |
| Group Code | R3P0 |
| Country of origin | Switzerland |
| Compliance with the substance restrictions according to RoHS directive | Since: 20/07/17 |
| Product class | A: Standard product which is a stock item could be returned within the returns guidelines/period. |
| WEEE (2012/19/EU) Take-Back Obligation | Yes |
| REACH Art. 33 Duty to inform according to the current list of candidates | Yes |
| SCIP number | Not available |

Classifications

Version Classification

| | | |
|--------|-----|-------------|
| eClass | 12 | 27-20-06-14 |
| eClass | 14 | 27-20-06-14 |
| eClass | 6 | 27-20-06-14 |
| eClass | 7.1 | 27-20-06-14 |
| eClass | 8 | 27-20-06-14 |
| eClass | 9 | 27-20-06-14 |
| eClass | 9.1 | 27-20-06-14 |
| ETIM | 7 | EC002990 |
| ETIM | 8 | EC002990 |
| ETIM | 9 | EC002990 |
| UNSPSC | 15 | 32-15-17-03 |

;