

Product datasheet

Specifications



cartridge, Modicon M200, 2 isolated serial link, communication extension

TMCR2SL1S

Main

Range of product	Easy Modicon M200
Product or component type	Serial line cartridge
Product compatibility	Easy Modicon M200

Complementary

Integrated connection type	Isolated serial link - screw terminal block for RS485
Transmission rate	1.2...115.2 kbit/s (115.2 kbit/s by default) for bus length of 15 m for RS485
Communication port protocol	Isolated serial link: Modbus master/slave - RTU/ASCII
Insulation	Between lines and internal logic at 500 V DC
Height	42.9 mm
Depth	21.4 mm
Width	34.8 mm
Net weight	0.014 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5 cm
Package 1 Width	6.3 cm
Package 1 Length	8.9 cm
Package 1 Weight	44.0 g
Unit Type of Package 2	S02
Number of Units in Package 2	32
Package 2 Height	15 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	1.6229 kg
Unit Type of Package 3	P12
Number of Units in Package 3	1536
Package 3 Height	105 cm
Package 3 Width	80 cm
Package 3 Length	120 cm

Package 3 Weight	86.856 kg
------------------	-----------

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	29 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile
Carbon footprint of the manufacturing phase [A1 to A3]	3 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	26 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0 kg CO2 eq.

Use Better



Materials and Substances

Packaging without single use plastic	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	REACH Declaration

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	0
End of life manual availability	End of Life Information
Take-back	No

Dimensions Drawings

Dimension Drawings

Dimensions




Image of product / Alternate images

Alternative

