

# Product data sheet

Specifications

SQUARE D



## TeSys NEMA Sz 1 rev open starter, 3P, 24 VAC with spl SSOLR (Sz 00B), Sprt Ctrl

T36CN238B7S

! Discontinued

! Discontinued on: Nov 11, 2020

! End-of-service on: Dec 31, 2020

**Product availability: Non-Stock - Not normally stocked in distribution facility**

## Main

Product	Starter
Range of Product	TeSys N
Current Rating	27 A
Certifications	UL Listed CSA
Control Circuit Type	Separate control circuit
Enclosure Type	Not rated (open device)
Auxiliary Contacts	1 NO + 1 NC
Horsepower Rating	7.5 HP 200 V AC 7.5 HP 230 V AC 10 HP 460 V AC 10 HP 575 V AC
Number of Poles	3P
Phase	3 phase
Maximum Voltage Rating	600 V AC
NEMA Size	1
Control Circuit Voltage	24 V AC
Starter Type	Reversing
Electrical Connection	Screw clamp terminals
Overload Type	Solid state Motor Logic class 10/20 1.5...4.5 A

## Ordering and shipping details

Category	US10CP121198
Discount Schedule	0CP1
Returnability	No

## Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1

## Contractual warranty

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.





## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better



#### Materials and Substances

[EU RoHS Directive](#)

Compliant

California proposition 65

WARNING: Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

### Use Longer



#### Lifetime extension

Repair

No