



AS-Interface user module IP67 Phased-out product !!! For further information, please contact our sales department digital, 2 DI/2 DQ, NPN 2 x input, 200 mA 2 x output, 1 A 24 V DC 4 x M12 socket

General technical data		
design of the product		digital I/O modules for operation in the field, IP67 - user modules
design of the device type		standard slave
protocol is supported AS-Interface protocol		Yes
type of electrical connection of the inputs and outputs		M12 screw-type terminals
reference code according to DIN 40719 extended according to IEC 204-2 according to IEC 750		A
reference code according to EN 61346-2		K
Inputs		
number of digital inputs		2
type of voltage of the input voltages		DC
input voltage	V	20 ... 27
input current at digital input		
• for signal <1> minimum	mA	5
• with signal <0> maximum	mA	1.5
Outputs		
number of digital outputs		2
type of voltage of output voltages		DC
output voltage at DC at 24 V	V	22 ... 24
output current at digital output for signal <1> rated value	A	1
type of switching output		transistor
property of the output short-circuit proof		Yes
Ambient conditions		
ambient temperature		
• during storage	°C	-40 ... +85
• during operation	°C	-25 ... +85
protection class IP		IP67
Mechanical data		
width	mm	45
height	mm	80
depth	mm	27
fastening method		standard rail mounting/wall mounting using coupling module
type of connection technology		2- and 3-wire technology
Certificates/ approvals		
General Product Approval	EMV	Test Certificates



[Special Test Certificate](#)

Maritime application	other	Environment	Industrial Communication
----------------------	-------	-------------	--------------------------



[Miscellaneous](#)

[Confirmation](#)



[Environmental Confirmations](#)



Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RK1400-1BQ01-0AA3>

Cax online generator



<https://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RK1400-1BQ01-0AA3>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RK1400-1BQ01-0AA3>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

https://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RK1400-1BQ01-0AA3&lang=en





last modified:

9/18/2025 