

Product datasheet

Specifications



Acti9 - right padlocking device

A9A26381

⚠ Discontinued on: 01 Dec 2024

⚠ To be discontinued

Main

range of product	Acti9
Product or component type	Padlocking device
Accessory / separate part category	Locking accessory
Quantity per set	Set of 1

Complementary

Keylock destination	Toggle
Key locking position	On the right
Height	87.2 mm
Width	22.2 mm
Depth	85.2 mm
Net weight	0.034 kg
Locking options description	Fixed
Range compatibility	Acti9 - iC60 Acti9 - iC40 - Acti9 - iC40 XA - , screw downstream connection Acti9 - Disbo iC60

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.4 cm
Package 1 Width	2.4 cm
Package 1 Length	8.8 cm
Package 1 Weight	44.0 g
Unit Type of Package 2	S02
Number of Units in Package 2	60
Package 2 Height	15.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	2.64 kg

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Contractual warranty

Warranty (in months)

18



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
REACH Regulation	REACH Declaration
Halogen-free status	Halogen free plastic parts product

Use Longer

Lifetime extension

Repair	No
--------	----

Use Again

Repack and remanufacture

End of life manual availability	No need of specific recycling operations
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins