

Product datasheet

Specifications



enclosure - plastic - IP55 - standard rotary handle - for Vigi NSX100..160

LV429466

⚠ Discontinued on: 31 Mar 2021

⚠ End-of-service on: 18 Oct 2021

⚠ Discontinued

Main

enclosure type	Individual enclosure
Product or component type	Insulated enclosure
Accessory / separate part category	Enclosure accessory
Range compatibility	ComPact ComPact NSX100 ComPact ComPact NSX160
Device short name	IP55 insulating enclosure
Accessories included with enclosure	Black extended rotary handle
Enclosure material	Enclosure: polyester

Complementary

Enclosure mounting	Surface
Installed device	VigiCompact NSX160 VigiCompact NSX100
Control type	Rotary handle
Type of front cover	Transparent
cable entry	2 removable plates
Width	270 mm
Height	540 mm
Depth	235 mm
Colour	Rotary handle: black

Environment

IP degree of protection	IP55 conforming to IEC 60529
IK degree of protection	IK08 conforming to IEC 62262

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	16.5 cm
Package 1 Width	28.0 cm
Package 1 Length	55.0 cm
Package 1 Weight	5.915 kg

Contractual warranty

Warranty (in months)

18



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

SCIP Number

31488b5f-7a51-4b3c-a45d-f03d10b231c1

Halogen-free status

Product contains halogen above thresholds

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

Take-back

No