

Product datasheet

Specifications



Extended rotary handle, GoPact MCCB 400, shaft length 250mm, IP54

G40ROTE

Price: 887.33 ZAR

Main

| | |
|---------------------------------|--|
| Range of product | GoPact MCCB |
| Product or component type | Rotary handle |
| Device application | Control |
| Range compatibility | GoPact MCCB 400 |
| Rotary handle mounting style | Extended |
| Rotary handle mounting location | Front |
| Shaft length | 250 mm |
| Handle colour | Grey |
| Rotary handle padlocking | Padlock in OFF position 1 to 3 padlocks |

Complementary

| | |
|-------------------------|------|
| IP degree of protection | IP54 |
|-------------------------|------|

Packing Units

| | |
|------------------------------|----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 12 cm |
| Package 1 Width | 12 cm |
| Package 1 Length | 28.5 cm |
| Package 1 Weight | 1.19 kg |
| Unit Type of Package 2 | S03 |
| Number of Units in Package 2 | 6 |
| Package 2 Height | 30 cm |
| Package 2 Width | 30 cm |
| Package 2 Length | 40 cm |
| Package 2 Weight | 7.581 kg |
| Unit Type of Package 3 | P06 |
| Number of Units in Package 3 | 72 |
| Package 3 Height | 60 cm |
| Package 3 Width | 60 cm |
| Package 3 Length | 80 cm |

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

| | |
|------------------|-----------|
| Package 3 Weight | 99.472 kg |
|------------------|-----------|

Contractual warranty

| | |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

| | |
|--|---|
| Total lifecycle Carbon footprint | 9 kg CO2 eq. |
| Environmental Disclosure | Product Environmental Profile |
| Carbon footprint of the manufacturing phase [A1 to A3] | 8 kg CO2 eq. |
| Carbon footprint of the distribution phase [A4] | 0.3 kg CO2 eq. |
| Carbon footprint of the installation phase [A5] | 0.2 kg CO2 eq. |
| Carbon footprint of the use phase [B2, B3, B4, B6] | 0 kg CO2 eq. |
| Carbon footprint of the end-of-life phase [C1 to C4] | 3 kg CO2 eq. |

Use Better



Materials and Substances

| | |
|--|------------------------------------|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | No |
| EU RoHS Directive | Compliant |
| REACH Regulation | REACH Declaration |
| Halogen-free status | Halogen free plastic parts product |
| PVC free | Yes |
| Silicone-free | Yes |

Use Longer



Lifetime extension

| | |
|--------|----|
| Repair | No |
|--------|----|

Use Again



Repack and remanufacture

| | |
|---------------------------------|---|
| End of life manual availability | End of Life Information |
| Take-back | No |

Technical Illustration

Dimensions

