

Product data sheet

Specifications



communication module, PowerLogic P3, accessory VSE002 RS485 module

REL52820

Product availability: Stock - Normally stocked in distribution facility

Main

Range of Product	Easergy P3
Product or Component Type	RS485 communication module

Complementary

Communication port support	RS485
relay connection	RS232
Mounting Support	Direct mounting

Environment

Height	2.9 in (73 mm)
Width	2.4 in (62 mm)
Depth	0.8 in (20 mm)

Ordering and shipping details

Category	US1PL1S11405
Discount Schedule	PL1S
GTIN	3606481383143
Returnability	Yes
Country of origin	FI

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.8 in (7 cm)
Package 1 Width	5.3 in (13.5 cm)
Package 1 Length	7.5 in (19 cm)
Package weight(Lbs)	7.4 oz (210 g)
Unit Type of Package 2	S03
Number of Units in Package 2	13
Package 2 Height	11.8 in (30 cm)
Package 2 Width	11.8 in (30 cm)
Package 2 Length	15.7 in (40 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Weight	7.10 lb(US) (3.22 kg)
Unit Type of Package 3	P06
Number of Units in Package 3	64
Package 3 Height	29.5 in (75 cm)
Package 3 Width	31.5 in (80 cm)
Package 3 Length	23.6 in (60 cm)
Package 3 Weight	56.297 lb(US) (25.536 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant By Exemption

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No