



### Catalog No. TLM4222RCU

Description: FLD CNVRTB 225A 42CRT 22K IC 3R

UPC No 783164113013

Home > Load Centers > Load Centers

PowerMark Gold convertible load centers arrive as main lug, but have the capability to have a main breaker installed. All ABB load centers are rated up to 60 degree/75 degree centigrade and is suitable for use with service entrance equipment when installed in accordance with electrical code. The TLM4222RCU features space for 42, 1" breakers, a 225 A bus ampere rating, a copper bus, and an outdoor suitable enclosure.



Representative Image

#### Descriptors

|             |                    |
|-------------|--------------------|
| Category    | Load Centers       |
| GO Schedule | RD                 |
| Grouping    | Single Phase - USA |

#### Specifications

|                              |                              |
|------------------------------|------------------------------|
| Load Center Type             | Standard                     |
| Input/Output Voltage         | 120/240V ac                  |
| Interrupting Capacity Rating | 65                           |
| Amperage                     | 225 A                        |
| Device type                  | Main Lug                     |
| Enclosure                    | Outdoor                      |
| Phase                        | 1 Phase                      |
| 1" Space                     | 42                           |
| 1/2" Space                   | 0                            |
| Feed                         | Either                       |
| Door                         | Yes                          |
| GSA Compliance               | No                           |
| Circuit Breaker Style        | Plug-In                      |
| NEMA Rating                  | NEMA 3R                      |
| Factory Installed Ground Kit | No                           |
| Enclosure Type               | Outdoor, Surface Mount       |
| Wires                        | 3 Wire                       |
| Service & Voltage            | 1 Phase, 3 Wire, 120/240V ac |

#### Classifications

|                |    |
|----------------|----|
| UL/CUL Listing | UL |
|----------------|----|





## Publications

| Title   | Publication No. | Publication Type          |
|---|-----------------|---------------------------|
| <a href="#">Section 1 BuyLog: Load centers and circuit breakers</a><br>Guide includes product features, photos, product number selection guide, knockout drawings, wiring diagrams, accessories and options list. Only available on-line. | DET1023         | Application and Technical |

**Additional Documentation:** Visit our Publication Library to find technical documentation, time current curves, CSI Specifications and promotional literature.