

Product datasheet

Specifications



reversing contactor TeSys LC2-D - 4 poles - AC-1 440V 125 A - coil 24 V AC

LC2D80004B5

EAN Code: 3389110086430

! Discontinued

Main

Range of product	TeSys D
Product or component type	Reversing contactor
Device short name	LC2D
Contactor application	Resistive load
Utilisation category	AC-1
Control circuit type	AC
Coil type	Standard
Poles description	4P
Pole contact composition	4 NO

Complementary

Assembly style	Ready assembled
Coil technology	Without built-in bidirectional peak limiting diode suppressor
Protective cover	With
Interlocking type	Mechanical
Overvoltage category	III
Mounting support	Plate Rail
Mechanical durability	1000000 cycles 4000000 cycles
Height	147 mm
Width	207 mm
Depth	158 mm
Net weight	3.2 kg

Environment

Standards	EN 60947-4-1 UL 508 IEC 60947-4-1 EN 60947-5-1 IEC 60947-5-1 CSA C22.2 No 14
-----------	---

Product certifications	CSA CCC GOST RINA LROS (Lloyds register of shipping) GL BV UL DNV
-------------------------------	---

Ambient air temperature for operation	-5...60 °C
--	------------

Ambient air temperature for storage	-60...80 °C
--	-------------

Contractual warranty

Warranty (in months)	18
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Longer



Lifetime extension

Repair

No