

Product datasheet

Specifications



wide range coil, TeSys F, for LA4EM250FF, 115/150A, AC-3

LXEFF250

⚠ Discontinued on: Feb 27, 2026

⚠ Discontinued

Main

Range	TeSys
Product or component type	Specific contactor coil
Device short name	LXEFF
Range compatibility	TeSys TeSys F LC1F contactor TeSys TeSys F LA4EM electronic control module
Product compatibility	LC1F150 LC1F115
complementary required device	LA4EM250FF
Tightening torque	1.2 N.m for control circuit
Control circuit type	AC at 50/60 Hz electronic DC electronic
[Uc] control circuit voltage	100...250 V AC 50/60 Hz 100...380 V DC
Operating time	40...80 ms closing 6...54 ms opening
Mechanical durability	10 Mcycles for use with LC1F115 10 Mcycles for use with LC1F150
Maximum operating rate	2400 cyc/h 55 °C

Complementary

Coil technology	Built-in bidirectional peak limiting
Control circuit voltage limits	Operational: 85...275 V AC 50/60 Hz (at 55 °C) Drop-out: 60 V AC 50/60 Hz (at 55 °C) Operational: 85...418 V DC (at 55 °C) Drop-out: 45 V DC (at 55 °C)
Inrush power in VA	280...310 VA 50/60 Hz cos phi 0.5 (at 20 °C)
Inrush power in W	270...320 W (at 20 °C)
Hold-in power consumption in VA	4.5...7 VA 50/60 Hz cos phi 0.5 (at 20 °C)
Hold-in power consumption in W	2.5...4 W at 20 °C
Heat dissipation	2.2...5.5 W

Environment

Product weight	0.5 kg
----------------	--------

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Number of Units in Package 1	1
Package 1 Height	7.5 cm
Package 1 Width	10.5 cm
Package 1 Length	17.6 cm
Package 1 Weight	430.0 g

Contractual warranty

Warranty (in months)	18
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

EU RoHS Directive

[Compliant](#)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins