

Product datasheet

Specifications



kit for flush-mounting in a dust and damp proof enclosure - ATV61/ATV71

VW3A9508

⚠ Discontinued on: 2 Oct 2023

⚠ Discontinued

Main

Range of product	Altivar
Accessory / separate part category	Mounting and fixing accessory
Accessory / separate part type	Mounting kit
Product compatibility	ATV61HD30M3X ATV61HD37M3X ATV61HD45M3X ATV71HD30M3X ATV71HD37M3X ATV71HD45M3X
Accessory / separate part destination	Variable speed drive
Range compatibility	Altivar 61 Altivar 71
Product specific application	For mounting the drive power section outside the enclosure

Complementary

Kit composition	1 cutting and drilling template 1 fan support 1 user manual 1 metal frame of the right size for drive rating corner pieces fixing accessories seals
Net weight	4.9 kg

Environment

Environmental characteristic	Dust and damp proof
------------------------------	---------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	15.0 cm
Package 1 Width	44.0 cm
Package 1 Length	77.0 cm
Package 1 Weight	6.875 kg
Unit Type of Package 2	P06
Number of Units in Package 2	4
Package 2 Height	77.0 cm

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Width	60.0 cm
Package 2 Length	80.0 cm
Package 2 Weight	36.0 kg

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
EU RoHS Directive	Compliant

Use Longer

Lifetime extension	
Repair	No