

ETU VT630, 3-pole, line protection ETU DP, LI IR=250...630A, overload protection IRM=4 to 12.5X IR, short-circuit protection, screw terminal connections in scope of delivery of switching unit



Model				
product brand name		SETRON		
product designation		Electronic Trip Units (ETU)		
design of the product		ETU DP, LI IR=250 to 630 A		
Accessories				
accessories		Accessory for VT630		
Mechanical Design				
Net Weight		301 g		
Approvals Certificates				
Environment	General Product Approval		Test Certificates	other

[Environmental Con-
firmations](#)



[Confirmation](#)



[Type Test Certific-
ates/Test Report](#)

[Confirmation](#)

other



[Miscellaneous](#)

Further information
Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,...) https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VT9363-6AC00
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/3VT9363-6AC00
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VT9363-6AC00
CAX-Online-Generator https://www.siemens.com/cax
Tender specifications https://www.siemens.com/specifications
Characteristic curves <a href='https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>'>https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>

