

# Product datasheet

Specifications



## enclosure - plastic - IP55 - standard rotary handle - for NSX400..630

LV432665

⚠ Discontinued on: 2 Apr 2021

**Price: 3,300.00 HKD**

⚠ Discontinued

### Main

enclosure type	Individual enclosure
Product or component type	Insulated enclosure
Accessory / separate part category	Enclosure accessory
Range compatibility	ComPact ComPact NSX400 ComPact ComPact NSX630
Device short name	IP55 insulating enclosure
Accessories included with enclosure	Black extended rotary handle
Enclosure material	Enclosure: polyester

### Complementary

Enclosure mounting	Surface
Installed device	Compact NSX400 Compact NSX630
Control type	Rotary handle
Type of front cover	Transparent
cable entry	2 removable plates
Width	360 mm
Height	720 mm
Depth	235 mm
Colour	Rotary handle: black

### Environment

IP degree of protection	IP55 conforming to IEC 60529
IK degree of protection	IK08 conforming to IEC 62262

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	15.0 cm
Package 1 Width	37.5 cm
Package 1 Length	73.0 cm
Package 1 Weight	13.5 kg

# Contractual warranty

---

Warranty (in months)

18



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better



#### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	31488b5f-7a51-4b3c-a45d-f03d10b231c1
EU RoHS Directive	<a href="#">Compliant By Exemption</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>
Halogen-free status	Product contains halogen above thresholds

### Use Longer



#### Lifetime extension

Repair	No
--------	----

### Use Again



#### Repack and remanufacture

Take-back	No
-----------	----