


Product datasheet

Specifications



Auxiliary contact, TeSys GS, 1 C/O, 3P, 1250A, fuse type DIN, size 4, for GS1 GS2 Blown fuse

GS2AF74

⚠ Discontinued on: 9 Feb 2023

⚠ Discontinued

Main

| | |
|--|---|
| Range of product | TeSys |
| Device short name | GS2AF |
| Product or component type | Auxiliary contact |
| Contact application | Blown fuse signalling |
| Contacts type and composition | 1 C/O |
| Contact operation | Instantaneous |
| [I _{th}] conventional free air thermal current | 16 A (at 40 °C) |
| [I _e] rated operational current | 12 A at 24 V DC-13 2 A at 48 V DC-13 3 A at 400 V AC-15 4 A at 230 V AC-15 0.4 A at 220 V DC-13 0.6 A at 110 V DC-13 |

Complementary

| | |
|-----------------------|--|
| Range compatibility | TeSys TeSys GS fuse-switch disconnectors |
| Mechanical durability | 30000 cycles |
| Electrical durability | 30000 cycles AC-15 |
| Product compatibility | GS |
| Poles description | 4P |
| switch rated current | 1250 A |
| Fuse type | DIN NFC |
| Fuse size | 4 |
| Net weight | 0.045 kg |

Packing Units

| | |
|------------------------------|---------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 2.0 cm |
| Package 1 Width | 13.0 cm |
| Package 1 Length | 20.0 cm |
| Package 1 Weight | 45.0 g |

Contractual warranty

Warranty (in months)

18



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard **Yes**

Packaging without single use plastic **No**

Use Longer



Lifetime extension

Repair **No**

Use Again



Repack and remanufacture

Take-back **No**

WEEE Label  **The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins**