


# Product data sheet

Specifications



## Coil WB2-H DC operated for CV1B, CV3B Contactor

WB2HA200

⚠ Discontinued on: May 19, 2023

⚠ Discontinued

**Important message:** This product is no longer commercialized by Schneider Electric. As per 14 January 2022, the commercialization is managed by Lenoir Elec. Please follow the link <https://www.lenoir-elec.com/> for more details.

### Main

Range	TeSys
Product or Component Type	Contacteur coil
Range compatibility	TeSys TeSys B CV1BH contactor TeSys TeSys B CV3BH contactor TeSys TeSys B CV3BK contactor TeSys TeSys B CV1BJ contactor
Control circuit type	DC
Coil type	Low consumption
[Uc] control circuit voltage	500 V DC

### Complementary

Control circuit voltage limits	Operational: 0.85...1.1 Uc (at <131 °F (55 °C))
Average resistance	1066 Ohm 68 °F (20 °C)
Inrush power in W	42...52 W 68 °F (20 °C) CV1BJ 42...52 W 68 °F (20 °C) CV3BK 42...52 W 68 °F (20 °C) CV1BJ 42...52 W 68 °F (20 °C) CV3BK 93...116 W 68 °F (20 °C) CV3BK 50 %
Hold-in power consumption in W	42...52 W 68 °F (20 °C) CV1BJ 42...52 W 68 °F (20 °C) CV3BK 42...52 W 68 °F (20 °C) CV1BJ 42...52 W 68 °F (20 °C) CV3BK 93...116 W 68 °F (20 °C) CV3BK 50 %
Operating time	150 ms sealed
Net Weight	1.488 lb(US) (0.675 kg)

### Ordering and shipping details

Category	18402-WORLD SERVICE PARTS(CONTROL ACCESS)
Discount Schedule	CP10
GTIN	3389110463545
Returnability	No

### Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.4 in (6 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

<b>Package 1 Width</b>	3.1 in (7.9 cm)
<b>Package 1 Length</b>	4.4 in (11.1 cm)
<b>Package weight(Lbs)</b>	1.48 lb(US) (0.67 kg)

---

## **Contractual warranty**

---

<b>Warranty (in months)</b>	18
-----------------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Longer



#### Lifetime extension

Repair

No