

Product datasheet

Specifications



Source separators, GoPact MTS 2000, 2000A

GMSISOSS0620H

Main

| | |
|---------------------------|-----------------|
| Range of product | GoPact MTS |
| Product or component type | Separator |
| Device application | Insulation |
| Range compatibility | GoPact MTS 2000 |
| [In] rated current | 2000 A |
| Frame size | 6 |
| Poles description | 4P |
| Quantity per set | 1 |

Packing Units

| | |
|------------------------------|----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 12.6 cm |
| Package 1 Width | 14.3 cm |
| Package 1 Length | 15.8 cm |
| Package 1 Weight | 0.239 kg |

Contractual warranty

| | |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Packaging

| | |
|----------------------------------------|------------------------------------|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | No |
| Halogen-free status | Halogen free plastic parts product |
| PVC free | Yes |
| Silicone-free | Yes |

Use Longer

Lifetime extension

| | |
|--------|----|
| Repair | No |
|--------|----|

Use Again

Repack and remanufacture

| | |
|-----------|----|
| Take-back | No |
|-----------|----|

Technical Illustration

Assembly's dimensions

