


# Product data sheet

Specifications



## Auxiliary contact, TeSys GS, 1 C/O, 4P, 160A, fuse type DIN, size 0, for GS1 GS2 Blown fuse

GS1AF34

⚠ Discontinued on: Jan 31, 2024

⚠ Discontinued

### Main

Range of Product	TeSys
Device short name	GS1AF
Product or Component Type	Auxiliary contact
Contact application	Blown fuse signalling
Contacts type and composition	1 C/O
Contact operation	Instantaneous
[I <sub>th</sub> ] conventional free air thermal current	16 A (at 104 °F (40 °C))
[I <sub>e</sub> ] rated operational current	12 A 24 V DC-13 2 A 48 V DC-13 3 A 400 V AC-15 4 A 230 V AC-15 0.4 A 220 V DC-13 0.6 A 110 V DC-13

### Complementary

Range compatibility	TeSys TeSys GS fuse-switch disconnecter
Mechanical durability	30000 cycles
Electrical durability	30000 cycles AC-15
Product Compatibility	GS
Poles description	4P
switch rated current	160 A
Fuse type	DIN NFC
Fuse size	0

### Ordering and shipping details

Category	18402-WORLD SERVICE PARTS(CONTROL ACCESS)
Discount Schedule	CP10
GTIN	3389110563337
Returnability	No

### Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Package 1 Height</b>	1.0 in (2.5 cm)
<b>Package 1 Width</b>	5.9 in (15.0 cm)
<b>Package 1 Length</b>	6.3 in (16.0 cm)
<b>Package weight(Lbs)</b>	1.6 oz (45.0 g)
<b>Unit Type of Package 2</b>	S01
<b>Number of Units in Package 2</b>	3
<b>Package 2 Height</b>	5.9 in (15.0 cm)
<b>Package 2 Width</b>	5.9 in (15.0 cm)
<b>Package 2 Length</b>	15.7 in (40.0 cm)
<b>Package 2 Weight</b>	11.08 oz (314.0 g)

## Contractual warranty

<b>Warranty (in months)</b>	18
-----------------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better



### Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant

California proposition 65

**WARNING:** This product can expose you to chemicals including: Styrene, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Use Longer



### Lifetime extension

Repair

No

## Use Again




### Repack and remanufacture

[Circularity Profile](#)

[End of Life Information](#)

WEEE Label

 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.