

Product datasheet

Specifications



Cage terminal, TeSys GS, 3P, 200 to 250A

GS1AW43

⚠ Discontinued on: 9 Feb 2023

⚠ Discontinued

Main

Range	TeSys
Device short name	GS1AW
Product or component type	Cage terminal
Accessory / separate part category	Connection accessory
Range compatibility	TeSys TeSys GS GS2M fuse-switch disconnecter TeSys TeSys GS GS2N fuse-switch disconnecter FuPact FuPacT GS GSB200 fuse-switch disconnecter FuPact FuPacT GS GSB250 fuse-switch disconnecter FuPact FuPacT GS GSD250 fuse-switch disconnecter
Poles description	3P
switch rated current	200 A 250 A

Complementary

Net weight	0.357 kg
Quantity per set	Set of 3

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.000 cm
Package 1 Width	15.000 cm
Package 1 Length	10.000 cm
Package 1 Weight	236.000 g
Unit Type of Package 2	S02
Number of Units in Package 2	24
Package 2 Height	15 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	5.924 kg
Unit Type of Package 3	P06
Number of Units in Package 3	384
Package 3 Height	75.000 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Width	80.000 cm
Package 3 Length	60.000 cm
Package 3 Weight	102.784 kg

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No