

# Product datasheet

Specifications



keylock adapter for motor mechanism locking. ComPact NSX 100/160/250. Ronis keylock included

LV429449

⚠ Discontinued on: 01 Dec 2024

⚠ To be discontinued

Price: 1,374.49 ZAR

## Main

|                                    |                                                                                                                                                                   |
|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Device short name                  | motor mechanism keylock adaptor                                                                                                                                   |
| Product or component type          | Keylock adapter                                                                                                                                                   |
| Accessory / separate part category | Keylock accessory                                                                                                                                                 |
| Range compatibility                | ComPact ComPact NSX100<br>ComPact ComPact NSX160<br>ComPact ComPact NSX250<br>ComPact Compact NSX100 DC<br>ComPact Compact NSX160 DC<br>ComPact Compact NSX250 DC |

## Complementary

|                             |                 |
|-----------------------------|-----------------|
| Keylock destination         | Motor mechanism |
| Type of keylock             | Ronis           |
| Key locking position        | In front        |
| Locking options description | Special keylock |

## Packing Units

|                              |          |
|------------------------------|----------|
| Unit Type of Package 1       | PCE      |
| Number of Units in Package 1 | 1        |
| Package 1 Height             | 4.0 cm   |
| Package 1 Width              | 6.2 cm   |
| Package 1 Length             | 8.1 cm   |
| Package 1 Weight             | 80.0 g   |
| Unit Type of Package 2       | S03      |
| Number of Units in Package 2 | 45       |
| Package 2 Height             | 30.0 cm  |
| Package 2 Width              | 30.0 cm  |
| Package 2 Length             | 40.0 cm  |
| Package 2 Weight             | 3.952 kg |

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

| Materials and Substances               |                                                            |
|----------------------------------------|------------------------------------------------------------|
| Packaging made with recycled cardboard | Yes                                                        |
| Packaging without single use plastic   | No                                                         |
| <a href="#">EU RoHS Directive</a>      | Pro-active compliance (Product out of EU RoHS legal scope) |
| REACH Regulation                       | <a href="#">REACH Declaration</a>                          |
| Halogen-free status                    | Product contains halogen above thresholds                  |

### Use Longer

| Lifetime extension |    |
|--------------------|----|
| Repair             | No |

### Use Again

| Repack and remanufacture |    |
|--------------------------|----|
| Take-back                | No |

Offer Marketing Illustration

Product benefits / Features

## ComPacT NSX

### Moulded Case Circuit Breaker



#### Protection begins with prevention

Designed to prevent an electrical fire through integrated earth leakage protection with preventive maintenance thanks to its Everlink power connections.



#### Maximize power availability

By providing corrective, preventive, and predictive maintenance for asset management thanks to our advanced MicroLogic trip units.



#### Connectivity

Designed to connect to EcoStruxure Power, an IoT-connected architecture for improving every aspect of your power distribution system.



Offer Marketing Illustration

Product benefits / Features



### ComPacT NSX

#### Technical Benefits

- Nominal current: 16 to 630 A and 9 breaking capacities for the 2 sizes of circuit breakers
- 1, 2, 3, and 4 pole versions available
- Large range of electronic and thermal-magnetic protections
- Plug and ready wiring system and communicating accessories
- Integrated earth leakage protection via MicroLogic Vigi (earth leakage circuit breaker - ELCB)
- Advanced trip unit with integrated power metering: I, U, P, E, THD, f, CosPhi