


# Product datasheet

Specifications



## LINERGY BS 4P MULTISTAGE BB 250A 52HOLES

04053

⚠ Discontinued on: 17 Jan 2022

⚠ End-of-service on: 17 Dec 2022

⚠ Discontinued

**Price: 2,950.75 ZAR**

### Main

|                           |  |
|---------------------------|--|
| Range                     | Linergy  |
| Range of product          | Linergy  |
| Product or component type | Multi-stage distribution block                         |
| Product name              | Linergy BS   |
| Range compatibility       | Prisma Prisma G enclosure<br>Prisma Prisma P enclosure |
| Product compatibility     | Spacial enclosures                                     |
| IP degree of protection   | IPxx B   |

### Complementary

|  |   |
|--|---|
| Mounting support                         | Plain backplate<br>Prisma upright   |
| Mounting mode                            | Horizontal<br>Vertical  |
| Poles description                        | 4P  |
| [Ue] rated operational voltage           | 440 V AC  |
| [Ui] rated insulation voltage            | 750 V AC  |
| [Uimp] rated impulse withstand voltage   | 8 kV  |
| [Ie] rated operational current           | 250 A   |
| [In] rated current                       | 250 A at 40 °C  |
| [Icw] rated short-time withstand current | 13 kA for 1 s   |
| [Ipk] rated peak withstand current       | 30 kA   |
| I <sup>2</sup> t on activation           | 169000000 A <sup>2</sup> .s   |
| Busbar cross section                     | 20 x 5 mm   |
| Connections - terminals                  | Supply: crimped lug50 mm <sup>2</sup><br>Supply: flexible bars, 20 x 3 mm<br>Distribution: M6 holes (phase) , 13 x 1...50 mm <sup>2</sup> |
| Height                                   | 235 mm  |
| Width                                    | 470 mm  |
| Depth                                    | 115 mm  |
| Net weight                               | 3.2 kg  |

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

## Environment

---

|           |                               |
|-----------|-------------------------------|
| Standards | IEC 61439-2<br>EN/IEC 61439-1 |
|-----------|-------------------------------|

---

|                        |       |
|------------------------|-------|
| Product certifications | ASEFA |
|------------------------|-------|

---

## Packing Units

---

|                        |     |
|------------------------|-----|
| Unit Type of Package 1 | PCE |
|------------------------|-----|

---

|                              |   |
|------------------------------|---|
| Number of Units in Package 1 | 1 |
|------------------------------|---|

---

|                  |         |
|------------------|---------|
| Package 1 Height | 15.5 cm |
|------------------|---------|

---

|                 |       |
|-----------------|-------|
| Package 1 Width | 26 cm |
|-----------------|-------|

---

|                  |       |
|------------------|-------|
| Package 1 Length | 55 cm |
|------------------|-------|

---

|                  |         |
|------------------|---------|
| Package 1 Weight | 3.11 kg |
|------------------|---------|

---

## Contractual warranty

---

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|

---



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better



#### Materials and Substances

|                                   |                                    |
|-----------------------------------|------------------------------------|
| <a href="#">EU RoHS Directive</a> | Compliant                          |
| Halogen-free status               | Halogen free plastic parts product |
| PVC free                          | Yes                                |
| Silicone-free                     | Yes                                |

### Use Longer




#### Lifetime extension

|        |    |
|--------|----|
| Repair | No |
|--------|----|

### Use Again



#### Repack and remanufacture

|            |   |
|------------|---|
| Take-back  | No  |
| WEEE Label |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |