


Product datasheet

Specifications



undervoltage coil, Altivar Process
ATV600 ATV900, for Drive Systems
110 to 315kW, circuit breaker 230V

VW3AP0201

Main

Range of product	Altivar Process ATV900 Altivar Process ATV600
Accessory / separate part category	Protection accessory
Accessory / separate part type	Undervoltage coil for circuit-breaker
Accessory / separate part destination	Compact drive system
Condition of use	Cannot be ordered alone, only possible in combination with a standard enclosure

Complementary

Product compatibility	Variable speed drive ATV660 motor at 110 kW Variable speed drive ATV660 motor at 132 kW Variable speed drive ATV660 motor at 160 kW Variable speed drive ATV660 motor at 200 kW Variable speed drive ATV660 motor at 250 kW Variable speed drive ATV660 motor at 315 kW Variable speed drive ATV680 motor at 110 kW Variable speed drive ATV680 motor at 132 kW Variable speed drive ATV680 motor at 160 kW Variable speed drive ATV680 motor at 200 kW Variable speed drive ATV680 motor at 250 kW Variable speed drive ATV680 motor at 315 kW Variable speed drive ATV960 motor at 110 kW Variable speed drive ATV960 motor at 132 kW Variable speed drive ATV960 motor at 160 kW Variable speed drive ATV960 motor at 200 kW Variable speed drive ATV960 motor at 250 kW Variable speed drive ATV960 motor at 315 kW Variable speed drive ATV980 motor at 110 kW Variable speed drive ATV980 motor at 132 kW Variable speed drive ATV980 motor at 160 kW Variable speed drive ATV980 motor at 200 kW Variable speed drive ATV980 motor at 250 kW Variable speed drive ATV980 motor at 315 kW
-----------------------	--

[Us] rated supply voltage	230 V
Product weight	0.1 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.9 cm
Package 1 Width	1.0 cm
Package 1 Length	1.0 cm
Package 1 Weight	100.0 g

Contractual warranty

Excluding VAT, FCA Jabal Ali & amp; are subject to change – check with your local distributor.



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

Take-back

No