

# Product datasheet

Specifications



Long time rating plug, ComPacT NS, IEC, MicroLogic control units, high setting ( $I_r = I_n \times 0.8$  to  $1$ )

C33544

## Main

Product or component type	Long time rating plug
Device application	Control
Range compatibility	ComPacT NS630b...1600 circuit breaker ComPacT NS1600b...3200 circuit breaker
Trip unit name	MicroLogic
Control type	Manually operated

## Complementary

Long time pick-up adjustment type $I_r$	Adjustable
Long time pick-up adjustment range	$0.8 \dots 1 \times I_n$

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.900 cm
Package 1 Width	3.500 cm
Package 1 Length	8.100 cm
Package 1 Weight	9.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	20
Package 2 Height	8.600 cm
Package 2 Width	13.000 cm
Package 2 Length	18.500 cm
Package 2 Weight	275.300 g
Unit Type of Package 3	S03
Number of Units in Package 3	240
Package 3 Height	30.000 cm
Package 3 Width	30.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	2.800 kg

## Contractual warranty





## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better



#### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	Ce203ae2-c7e0-4aad-aa17-1e7ab31e4934
EU RoHS Directive	<a href="#">Compliant By Exemption</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>
Halogen-free status	Product contains halogen above thresholds
PVC free	Yes

### Use Longer



#### Lifetime extension

Repair	No
--------	----

### Use Again



#### Repack and remanufacture

Take-back	Yes
-----------	-----