


Product data sheet

Specifications



Auxiliary contact kit, GoPact MTS 2000, 2 NO/NC contacts , ON/OFF indication

GMSAUXCK06

Main

| | |
|-----------------------------|-----------------------------------|
| Range of product | GoPact MTS |
| Product or component type | Auxiliary contact |
| Device application | Monitoring |
| Range compatibility | GoPact MTS 2000 |
| Product compatibility | switch disconnecter 1250...2000 A |
| Frame size | 6 |
| Signal contacts composition | 2 NO/NC for on/off indication |

Complementary

| | |
|----------------------------------------------------------|---------------------------------|
| Mounting mode | Clip-on |
| [I _{th}] conventional free air thermal current | 10 A |
| [U _e] rated operational voltage | 415 V AC |
| [I _e] rated operational current | AC-15: 4 A at 415 V AC 50/60 Hz |
| Minimum load | 1 A |
| Mechanical durability | 50000 cycles |
| Auxiliary connection terminal | Screw terminal |

Packing Units

| | |
|------------------------------|----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 8.5 cm |
| Package 1 Width | 3.2 cm |
| Package 1 Length | 12 cm |
| Package 1 Weight | 0.144 kg |
| Unit Type of Package 2 | S02 |
| Number of Units in Package 2 | 2 |
| Package 2 Height | 15 cm |
| Package 2 Width | 30 cm |
| Package 2 Length | 40 cm |
| Package 2 Weight | 0.688 kg |

Contractual warranty

List Price displayed is VAT EXCLUSIVE.



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

| | |
|----------------------------------------|-----------------------------------------------------------------------------|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | No |
| EU RoHS Directive | Compliant |
| REACH Regulation | Free of Substances of Very High Concern above the threshold |
| Halogen-free status | Halogen free plastic parts product |
| PVC free | Yes |
| Silicone-free | Yes |

Use Longer



Lifetime extension

| | |
|--------|----|
| Repair | No |
|--------|----|

Use Again



Repack and remanufacture

| | |
|-----------|-----|
| Take-back | Nej |
|-----------|-----|

Technical Illustration

Assembly's dimensions

