


seal IP54, for basic unit and operator unit for mounting in front panel



General technical data	
product brand name	SIMOCODE
product designation	Seal
protection class IP	IP54
ambient temperature	
<ul style="list-style-type: none"> <li>during storage</li> </ul>	-40 ... +80 °C
<ul style="list-style-type: none"> <li>during operation</li> </ul>	-25 ... +70 °C
<ul style="list-style-type: none"> <li>during transport</li> </ul>	-40 ... +80 °C

Certificates/ approvals		
General Product Approval	EMV	other



[Confirmation](#)



Environment	Industrial Communication
-------------	--------------------------



[Environmental Confirmations](#)



Further information
---------------------

**Information on the packaging**

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

**Information for data generation and storage**

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<https://www.siemens.com/ic10>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3UF8923-0AA00-0>

**Cax online generator**

<https://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3UF8923-0AA00-0>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/3UF8923-0AA00-0>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**

[https://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3UF8923-0AA00-0&lang=en](https://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3UF8923-0AA00-0&lang=en)

