

7ML5426-0BF00-0CA0



Image similar

SITRANS LR460 Radar level transmitter with horn: continuous, non-contact, 100 m (328 ft) range, for challenging solids applications. . Process connection: Universal, flat faced, 0.5 bar (7.25 psi) maximum with integral Easy Aimer ball: 4" (100 mm) Antenna: 4" horn antenna, fits 100 mm or 4" nozzles Purge (Self Cleaning) Connection: No Purge connection . Output/Communication: 4 to 20 mA, HART Power Supply/Cable Inlet: 24 V DC, 2 x M20 x 1.5 Approvals: General Purpose, CSA US/C, Industry Canada,FCC,CE, RED .

List Price

Show prices

Customer Price

Show prices

Additional Services

For this product we can offer Services like Spare Part Delivery/Repair/Exchange. You have currently no rights to enter the Service Web Shop for that.
[For further information & to order this service, please contact your local Spares&Repair Partner](#)

For this product we can offer extended warranty contracts
[EEO \(material exchange for a single product\)](#)
[OEM RSC \(Repair Service Contract for a whole machine\)](#)

[For further information & to order these services, please contact your local Siemens Service Partner](#)

Service & Support
(Manuals, Certificates, FAQs...)

Download

Product

Article Number (Market Facing Number)

7ML5426-0BF00-0CA0

Product Description	SITRANS LR460 Radar level transmitter with horn: continuous, non-contact, 100 m (328 ft) range, for challenging solids applications. . Process connection: Universal, flat faced, 0.5 bar (7.25 psi) maximum with integral Easy Aimer ball: 4" (100 mm) Antenna: 4" horn antenna, fits 100 mm or 4" nozzles Purge (Self Cleaning) Connection: No Purge connection . Output/Communication: 4 to 20 mA, HART Power Supply/Cable Inlet: 24 V DC, 2 x M20 x 1.5 Approvals: General Purpose, CSA US/C, Industry Canada,FCC,CE, RED .
---------------------	---

Product family	SITRANS LR460
Product Lifecycle (PLM)	PM400:Phase Out Started
PLM Effective Date	Product phase-out since: 28/10/21

Price data

Price Group / Headquarter Price Group	8L2
List Price	Show prices
Customer Price	Show prices
Metal Factor	None

Delivery information

Export Control Regulations	ECCN : 3A991X / AL : N
Standard lead time ex-works	16 Day/Days
Net Weight (kg)	12.000 Kg
Package size unit of measure	Not available
Quantity Unit	1 Piece
Packaging Quantity	1

Additional Product Information

EAN	Not available
UPC	Not available
Commodity Code	90261029
LKZ_FDB/ CatalogID	FI01-4
Product Group	4716
Group Code	R3P5
Country of origin	Canada
Compliance with the substance restrictions according to RoHS directive	Since: 20/07/17
Product class	C: products manufactured / produced to order, which cannot be reused or re-utilised or be returned against credit.
WEEE (2012/19/EU) Take-Back Obligation	Yes

REACH Art. 33 Duty to inform according to
the current list of candidates

Classifications

	Version	Classification
eClass	6	27-20-05-05
eClass	7.1	27-20-05-05
eClass	8	27-20-05-05
eClass	9	27-20-05-05
eClass	9.1	27-20-05-05
ETIM	5	EC002995
ETIM	6	EC002995
ETIM	7	EC002995
ETIM	8	EC002995