


# Product data sheet

Specifications



## undervoltage release UVR, EasyPact EZC100, EasyPact CVS100BS, 24 VDC

EZAUVR024DC

⚠ Discontinued on: Dec 1, 2021

⚠ Discontinued

### Main

|                              |                       |
|------------------------------|-----------------------|
| Range                        | EasyPact              |
| Range of product             | EZC100                |
| Device short name            | MN                    |
| Product or component type    | Voltage release       |
| Device application           | Control               |
| Voltage release type         | Undervoltage release  |
| [Uc] control circuit voltage | 24 V DC               |
| Range compatibility          | EasyPact EasyPact EZC |

### Complementary

|                     |  |
|---------------------|--|
| Operating threshold | 0.35...0.7 Un opening<br>0.85 Un closing |
| Response time       | 50 ms                                    |

### Packing Units

|                              |          |
|------------------------------|----------|
| Unit Type of Package 1       | PCE      |
| Number of Units in Package 1 | 1        |
| Package 1 Height             | 2.5 cm   |
| Package 1 Width              | 7.1 cm   |
| Package 1 Length             | 8.4 cm   |
| Package 1 Weight             | 51 g     |
| Unit Type of Package 2       | S03      |
| Number of Units in Package 2 | 120      |
| Package 2 Height             | 30 cm    |
| Package 2 Width              | 30 cm    |
| Package 2 Length             | 40 cm    |
| Package 2 Weight             | 6.607 kg |
| Unit Type of Package 3       | P12      |
| Number of Units in Package 3 | 1920     |
| Package 3 Height             | 55 cm    |
| Package 3 Width              | 125 cm   |

List Price displayed is VAT EXCLUSIVE.

---

|                  |           |
|------------------|-----------|
| Package 3 Length | 100 cm    |
| Package 3 Weight | 122.92 kg |

---

## Contractual warranty

---

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better



#### Materials and Substances

EU RoHS Directive

[Compliant](#)

### Use Longer



#### Lifetime extension

Repair

No

### Use Again



#### Repack and remanufacture

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins