

# Product datasheet

Specifications



## TeSys Deca reversing contactor, 3P, AC-3 $\leq 440\text{V}$ 115 A, 110 V AC 50 Hz coil, ring-lug terminals

LC2D1156F5

EAN Code: 3389110533255

! Discontinued

## Main

Range of product	TeSys D
Product or component type	Reversing contactor
Device short name	LC2D
Contactor application	Motor control
Utilisation category	AC-2 AC-3 AC-4
Control circuit type	AC
Coil type	Standard
Poles description	3P
Pole contact composition	3 NO

## Complementary

Assembly style	Ready assembled
Coil technology	Without built-in bidirectional peak limiting diode suppressor
Protective cover	With
Auxiliary contact composition	1 NO + 1 NC
Interlocking type	Mechanical
Overvoltage category	III
Mounting support	Rail Plate
Associated fuse rating	10 A gG for control circuit conforming to IEC 60947-5-1
Mechanical durability	8000000 cycles
Height	158 mm
Width	266 mm
Depth	148 mm
Net weight	6.35 kg

## Environment

Standards	EN 60947-4-1 IEC 60947-5-1 IEC 60947-4-1 CSA C22.2 No 14 EN 60947-5-1 UL 508
-----------	---

---

<b>Product certifications</b>	GOST GL LROS (Lloyds register of shipping) DNV RINA BV CCC UL CSA
-------------------------------	---

---

<b>Ambient air temperature for operation</b>	-5...60 °C
--	------------

---

<b>Ambient air temperature for storage</b>	-60...80 °C
--	-------------

---

## **Contractual warranty**

---

<b>Warranty (in months)</b>	18
-----------------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better



#### Materials and Substances

EU RoHS Directive

[Compliant](#)

PVC free

Yes

### Use Longer



#### Lifetime extension

Repair

No

### Use Again



#### Repack and remanufacture

End of life manual availability

[End of Life Information](#)

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins